

# Utah Water Supply Outlook

and

## Federal – State – Private Cooperative Snow Surveys

### **Issued by**

Wilson Scaling  
Chief  
Soil Conservation Service  
Washington, D. C.

### **Released by**

Francis T. Holt  
State Conservationist  
Soil Conservation Service  
Salt Lake City, Utah

### **In cooperation with**


Utah State Department of Natural Resources  
Robert L. Morgan                      D. Larry Anderson  
State Engineer                      Director  
Division of Water Rights      Division of Water Resources

### **Prepared by**

Jon G. Werner  
Snow Survey Supervisor  
Soil Conservation Service  
125 So. State St., Fed. Bldg.  
P. O. Box 11350  
Salt Lake City, Utah 84147

# Streamflow Prospects for Utah

Spring and Summer Period



- 1 BEAR RIVER BASIN
- 2 WEBER & OGDEN WATERSHEDS IN UTAH
- 3 UTAH LAKE, JORDAN RIVER & TOOELE VALLEY
- 4 UNITAH BASIN & DAGGET SCD'S
- 5 CARBON, EMERY, WAYNE, GRAND, & SAN JUAN CO.
- 6 SEVIER & BEAVER RIVER BASINS
- 7 E. GARFIELD, KANE, WASHINGTON, & IRON CO.



## GENERAL OUTLOOK

### SUMMARY:

April continued the trend of above average mountain precipitation to three consecutive months. Snowmelt during April was slowed at high elevations due to extended periods of storminess. The water supply outlook improved in some of the water short areas of southern Utah, although shortages are still expected. The situation in the water-logged North has become more critical as snowpack on the tributaries to the swollen Great Salt Lake approaches the level recorded in 1983 and the elevation of the Lake nears the historical peak of 4211.6 feet.

### SNOWPACK:

Snowpack varies from much above average on the Wasatch and Uinta mountains to much below average in the Enterprise to New Harmony area of southwest Utah. Two notable exceptions to this general north-south trend are the Oquirrh-Stansbury mountain area around Tooele Valley which, although improved, is still below average and the Beaver River watershed in southern Utah which is much above average. Two sites on the Weber, one site on the Provo and three sites on tributaries to the Duchesne set new records this month for maximum May 1 water content. Snowpack now ranges from 72% of average in southwestern Utah to 143% on the Uintas.

### PRECIPITATION:

April was the third consecutive month of precipitation over the mountainous West. Rainfall in excess of ten inches fell at sites in the Wasatch and Uinta mountains. Southeastern Utah had the least rainfall, average ranging upward to the Utah watershed which received 157% of normal precipitation. All mountainous areas have above normal water year (October 30) precipitation accumulation. Salt Lake has received 114% of the seasonal normal. The Uintas have received 146%.

## RESERVOIRS:

Usable stored water in 26 key irrigation reservoirs in Utah is 97% of capacity and 129% of average for the end of April even though some reservoirs, most notably those on the Weber and Provo Rivers, are being held down in anticipation of high snowmelt runoff. Reservoirs in southwestern Utah haven't filled and most likely will not fill this year.


## STREAMFLOW:

Forecasts of spring and summer streamflow have generally increased across the State from the levels forecast last month as the result of above average precipitation and delayed melt on high elevation snow courses. The area of greatest increase is on the Duchesne and Strawberry Rivers where the forecasts have increased by 40 to 50% compared to average. The Ivins Bench area west of St. George in southwestern Utah, on the other hand, is reporting only one acre in ten with a water supply adequate for irrigation. Forecasts now range from 81% on Salt Creek near Nephi to 481% on the Sigurd to Gunnison reach of the Sevier.

*Forecasts prepared for this bulletin represent cooperative efforts of the Soil Conservation Service and the National Weather Service in an effort to provide the best possible service to water users and managers.*

# Bear River Basin


**Mountain snowpack\* (inches)**





\*Based on selected stations

Maximum  Average   
Minimum  Current 

**Precipitation\* (percent of normal)**



\*Based on selected stations

Monthly precipitation  Year to date precipitation 

## WATER SUPPLY OUTLOOK:

Snowpack on the Bear River watershed, compared to average, increased during April by 14% and now stands at 135% of the May 1 average. Logan River snowpack increased 10% and is now 40% greater than normal for May 1. Precipitation at mountain stations was 45% greater than normal for April bringing water year accumulation to 134% of the October-April average. Reservoir storage is 115% of average. Forecasts have increased from last month and now range from 118% to 204% of average.

For more information contact your local Soil Conservation Service office:  
Tremonton Field Office 801-257-5403  
Logan Field Office 801-753-5616

# BEAR RIVER BASIN

## STREAMFLOW FORECASTS

FORECAST POINT	FORECAST PERIOD	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVE.)	REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOW (CFS)	PEAK DATE	LOW FLOW (CFS)	LOW DATE
BEAR RIVER near UT-WY Stateline	MAY-JUL	105.0	150.0	142	157	131	2030			
BEAR near Woodruff	MAY-JUL	116.0	162.0	139	169	121				
WOODRUFF CREEK near Woodruff	MAY-JUL	15.1	21.4	141	159	119	333			
BIG CREEK near Randolph	APR-JUL	5.3	9.5	179	226	132	90			
BEAR near Randolph	MAY-JUL	82.0	168.0	204	251	159				
THOMAS FORK near Stateline	APR-SEP	35.0	57.0	162	183	143				
SMITHS FORK near Border	APR-SEP	119.0	166.0	139	160	119				
BEAR RIVER near Harer	APR-SEP	310.0	463.0	149	168	132				
LOGAN RIVER near Logan	MAY-JUL	101.0	145.0	143	157	131	1309			
BLACKSMITH FORK near Hyrum	MAY-JUL	38.0	57.0	150	184	121				
LITTLE BEAR RIVER near Paradise	MAY-JUN	24.0	35.0	134	169	100	649			
CUB RIVER near Preston	MAY-JUL	42.9	51.0	118	154	84				


RESERVOIR STORAGE (1000AF)					WATERSHED SNOWPACK ANALYSIS			
RESERVOIR	USEABLE CAPACITY	** USEABLE STORAGE **			WATERSHED	NO. COURSES AVE.D	THIS YEAR AS % OF	
		THIS YEAR	LAST YEAR	AVE.			LAST YR.	AVERAGE
BEAR LAKE	1421.0	1216.2	1131.4	1054.1	BEAR RIVER, UPPER IN UTAH	6	203	134
HYRUM	15.3	11.2	11.9	13.2	BEAR RIVER, LOWER IN UTAH	10	168	130
PORCUPINE	11.3	11.8	11.9	9.5	BEAR RIVER DRAINAGE IN UT	15	178	134
WOODRUFF NARROWS	55.8	57.7	55.8	---	BEAR RIVER, UPPER (above	12	217	139
WOODRUFF CREEK	3.5	4.0	3.5	---	BEAR RIVER, LOWER (below	11	193	129
					BEAR RIVER DRAINAGE	21	208	135
					LOGAN RIVER	5	163	140
					RAFT RIVER	0	0	0
					BEAR RIVER BASIN	25	200	136

\*Corrected for upstream diversions or changes in reservoir storage.  
Average is for 1961-80 period.




# Weber & Ogden Watersheds

Mountain snowpack\* (inches)



\*Based on selected stations

Precipitation\* (percent of normal)



\*Based on selected stations

Maximum  Average   
Minimum  Current 

Monthly precipitation  Year to date precipitation 

## WATER SUPPLY OUTLOOK:

Weber River snowpack, compared to average, increased 17% during April. Snow measurements taken during the last week of April place Weber River snowpack at 143% and Ogden River snowpack at 134% of average. Mountain precipitation for April was 36% greater than normal which brings the accumulation for the water year to 136% of average. Reservoir storage is being held down in anticipation of high flows. Storage is at 95% of average. Streamflow forecasts now range from 141 to 213% of average for the forecast period.

For more information contact your local Soil  
Conservation Service office:  
Layton Sub Office 801-544-9144

# WEBER & OGDEN WATERSHEDS in Utah

## STREAMFLOW FORECASTS

FORECAST POINT	FORECAST PERIOD	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVE.)	REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOW (CFS)	PEAK DATE	LOW FLOW (CFS)	LOW DATE
WEBER RIVER near Oakley	MAY-JUN	93.0	164.0	176	192	161	2511			
ROCKPORT RESERVOIR inflow	MAY-JUN	94.0	184.0	191	216	170				
CHALK CREEK near Coalville	MAY-JUN	29.0	62.0	213	245	190	1005			
WEBER RIVER near Coalville	MAY-JUN	98.0	193.0	196	220	174				
LOST CREEK near Croyden	MAY-JUN	11.2	20.6	183	214	152				
EAST CANYON CREEK near Morgan	MAY-JUN	16.3	23.4	143	184	123				
HARDSCRABBLE CREEK near Porterville	APR-JUN	18.4	26.0	141	179	103				
SOUTH FORK OGDEN RIVER near Huntsvil	MAY-JUN	41.0	61.5	150	178	127				
PINEVIEW RESERVOIR inflow	MAY-JUN	74.0	122.0	164	185	147				
ECHO RESERVOIR inflow	MAY-JUN	128.0	230.0	179	202	158				
WEBER RIVER at Gateway	APR-JUN	300.0	545.0	181	201	163				
FARMINGTON CREEK near Farmington	MAY-JUL	6.7	10.4	155	194	119				


RESERVOIR STORAGE (1000AF)					WATERSHED SNOWPACK ANALYSIS			
RESERVOIR	USEABLE CAPACITY	THIS YEAR	LAST YEAR	AVE.	WATERSHED	NO. COURSES AVE.D	THIS YEAR AS % OF LAST YR. AVERAGE	
CAUSEY	6.9	2.9	1.1	2.6	OGDEN RIVER	4	122	138
EAST CANYON	48.1	40.2	37.0	41.5	WEBER RIVER	12	170	143
ECHO	73.9	26.3	57.4	54.2	WEBER & OGDEN WATERSHEDS	16	170	141
LOST CREEK	20.0	14.2	14.4	14.3				
PINEVIEW	110.1	78.6	86.6	76.6				
ROCKPORT	60.9	24.1	44.0	36.8				
WILLARD BAY	165.5	160.1	155.0	139.7				

\*Corrected for upstream diversions or changes in reservoir storage.  
Average is for 1961-80 period.







# Utah Lake, Jordan River & Tooele Valley


Mountain snowpack\* (inches)



\*Based on selected stations

Maximum  Average   
Minimum  Current 

Precipitation\* (percent of normal)



\*Based on selected stations

Monthly precipitation  Year to date precipitation 

## WATER SUPPLY OUTLOOK:

Provo River snowpack is more than 40% greater than normal for May 1. Snowpack for the entire Utah Lake drainage is 30% greater than average. Trial Lake snow course surpassed the old record water content by 4.4 inches with a reading of 45.9 inches. Tooele Valley snowpack improved to 89% of average. Mountain precipitation was 57% greater than normal in April. Reservoir storage is 154% of average. Streamflow forecasts range from 92% for So. Willow Ck. near Grantsville to 200% for Emigration Ck. near SLC.

For more information contact your local Soil Conservation Service office:  
Midvale Field Office 801-524-4373  
Provo Field Office 801-377-5580

# UTAH LAKE, JORDAN RIVER & TOOELE VALLEY

## STREAMFLOW FORECASTS


FORECAST POINT	FORECAST PERIOD	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVE.)	REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOW (CFS)	PEAK DATE	LOW FLOW (CFS)	LOW DATE
PROVO near Hailstone	MAY-JUL	94.0	165.0	175	195	159	2900			
PROVO below Deer Creek Dam	MAY-JUL	96.0	175.0	182	206	158				
AMERICAN FORK near American Fk.	MAY-JUL	28.0	50.0	178	193	168	600			
MOBBLE CREEK near Springville	MAY-JUL	13.3	25.0	187						
STRAWBERRY RESERVOIR inflow	APR-JUL	72.0	125.0	173	193	154				
PAYSON CREEK near Payson	MAY-JUL	4.4	7.0	159						
UTAH LAKE inflow	MAY-JUL	166.0	325.0	195	227	165				
LITTLE COTTONWOOD CRK near SLC	MAY-JUL	36.0	49.0	136	144	131				
BIG COTTONWOOD CRK near SLC	MAY-JUL	33.0	49.0	148	158	136				
PARLEY'S CREEK near SLC	MAY-JUL	11.3	16.0	141	168	115				
HILL CREEK near SLC	MAY-JUL	5.0	9.5	190	200	180				
EMIGRATION CREEK near SLC	MAY-JUL	2.5	5.0	200						
CITY CREEK near SLC	MAY-JUL	6.6	10.0	151	167	136				
SETTLEMENT CREEK near Tooele	MAY-JUL	2.1	2.7	128	190	95				
SOUTH WILLOW CREEK near Grantsville	MAY-JUL	2.7	2.5	92	148	37				
VERNON CREEK near Vernon	MAY-JUN	0.5	0.9	160	206	114				

RESERVOIR STORAGE (1000AF)					WATERSHED SNOWPACK ANALYSIS			
RESERVOIR	USEABLE CAPACITY	** USEABLE STORAGE ** THIS YEAR	LAST YEAR	AVE.	WATERSHED	NO. COURSES AVE.D	THIS YEAR AS % OF LAST YR. AVERAGE	
DEER CREEK	149.7	97.4	143.1	106.9	PROVO RIVER & UTAH LAKE	9	203	130
GRANTSVILLE	3.3	3.3	---	---	PROVO RIVER	4	232	144
SETTLEMENT CREEK	1.0	0.9	0.7	0.7	JORDAN RIVER & GREAT SALT	5	177	121
STRAWBERRY-ENLARGED	951.4	421.6	324.4	---	TOOELE VALLEY WATERSHEDS	4	153	89
UTAH LAKE	883.9	1248.6	1224.2	766.8	UTAH LAKE, JORDAN RIVER &	18	181	115
VERNON CREEK	0.6	0.6	0.6	0.6				

\*Corrected for upstream diversions or changes in reservoir storage.  
Average is for 1961-80 period.

# 


Mountain snowpack\* (inches)



\*Based on selected stations

Maximum  Average   
Minimum  Current 

Precipitation\* (percent of normal)



\*Based on selected stations

Monthly precipitation  Year to date precipitation 

## 

Snowpack on the Uintas is about 40% greater than normal compared to the May 1 average. New record water content exists on some south slope sites above 10,000 feet in elevation. Mountain precipitation during April was 37% greater than average bringing the total for the water year to 146% of average. Reservoir storage is 130% of average. Streamflow forecasts have increased from levels projected last month by 12 to 94% and now range from 138% on Black's Fork near Millburne to 279% for the Duchesne near Myton.

For more information contact your local Soil Conservation Service office:  
Roosevelt Field Office 801-722-4621

# UINTAH BASIN & DAGGET SCD'S

## STREAMFLOW FORECASTS


FORECAST POINT	FORECAST PERIOD	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVE.)	REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOW (CFS)	PEAK DATE	LOW FLOW (CFS)	LOW DATE
DUCHESNE RIVER near Tabiona	MAY-JUL	96.0	175.0	182	195	170				
DUCHESNE RIVER near Duchesne	APR-JUL	189.0	338.0	178	193	166				
STRAWBERRY RIVER at Duchesne	APR-JUL	58.0	120.0	206	221	193	1050			
ROCK CREEK near Mountain Home	MAY-JUL	88.0	155.0	176	191	164	2500			
CURRENT CREEK near Fruitland	MAY-JUL	16.6	30.0	180	199	169				
LAKEFORK RIVER near Mountain Home	MAY-JUL	67.0	104.0	155	172	140				
YELLOWSTONE RIVER near Altonah	MAY-JUL	61.0	95.0	155	182	130				
DUCHESNE near Myton	MAY-JUL	186.0	520.0	279	305	249				
WHITE ROCKS RIVER near Whiterocks	MAY-JUL	56.0	86.0	153	182	125				
UINTAH RIVER near Neola	MAY-JUL	81.0	132.0	162	201	125				
DUCHESNE near Randlett	APR-JUL	257.0	675.0	262	330	196				
WEST FORK DUCHESNE RIVER near Hanna	APR-JUL	26.0	48.0	184	200	169				
HENRY'S FORK near Manila	APR-SEP	48.0	72.0	150	179	127				
BLACK'S FORK near Millburne	APR-JUL	90.0	125.0	138	164	117				
FLAMING GORGE RESERVOIR inflow	MAY-JUL	1080.0	2050.0	189	208	174				
ASHLEY CREEK near Vernal	MAY-JUL	49.0	72.0	146	165	131	1570			

RESERVOIR STORAGE (1000AF)					WATERSHED SNOWPACK ANALYSIS			
RESERVOIR	USEABLE CAPACITY	XX USEABLE STORAGE THIS YEAR	XX LAST YEAR	XX AVE.	WATERSHED	NO. COURSES AVE.D	THIS YEAR AS % OF LAST YR. AVERAGE	
FLAMING GORGE	3749.0	2939.0	3108.7	---	UPPER GREEN RIVER in UTAH	8	178	116
MOON LAKE	35.8	25.4	30.8	18.1	ASHLEY CREEK	2	262	114
RED FLEET	26.0	19.7	23.9	---	BLACK'S FORK RIVER	3	163	120
STEINAKER	33.3	29.1	30.6	23.0	SHEEP CREEK	2	170	119
STARVATION	165.3	146.6	154.4	113.5	DUCHESNE RIVER	10	206	162
STRAWBERRY-ENLARGED	951.4	421.6	324.4	---	LAKE FORK-YELLOWSTONE CRE	3	186	167
					STRAWBERRY RIVER	4	220	156
					UINTAH-WHITEROCKS RIVERS	2	209	164
					UINTAH BASIN & DAGGET SCD	19	189	143

corrected for upstream diversions or changes in reservoir storage.  
average is for 1961-80 period.

# Carbon, Emery, Wayne, Grand, and San Juan Co.


Mountain snowpack\* (inches)



\*Based on selected stations

Maximum  Average   
Minimum  Current 

Precipitation\* (percent of normal)



\*Based on selected stations

Monthly precipitation  Year to date precipitation 

## WATER SUPPLY OUTLOOK:

Southeastern Utah watersheds have snowpacks ranging from 19% of the May 1 average on the Blue Mountain to 130% on the Price River. Mountain precipitation during April was quite generous with most stations reporting greater than normal rainfall. Accumulation for the water year is now 132% of normal over eastern Utah. Reservoir storage is 115% of average. Forecasts generally increased as a percent of from levels forecast last month with the Colorado Green and San Juan showing the most increase.

For more information contact your local Soil Conservation Service office:  
Price Field Office 801-637-0041

CARBON, EMERY, WAYNE, GRAND, & SAN JUAN Co.

STREAMFLOW FORECASTS

FORECAST POINT	FORECAST PERIOD	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVE.)	REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOW (CFS)	PEAK DATE	LOW FLOW (CFS)	LOW DATE
GOOSEBERRY CREEK near Scofield	MAY-JUL	10.0	13.0	130	150	110				
SCOFIELD RESERVOIR inflow	MAY-JUL	33.0	54.0	163	182	152				
PRICE near Heiner	MAY-JUL	56.0	100.0	178						
HUNTINGTON CREEK near Huntington	MAY-JUL	43.0	67.0	155	172	142	900			
COTTONWOOD CREEK near Orangeville	MAY-JUL	43.0	60.0	139	170	109				
FERRON CREEK near Ferron	MAY-JUL	34.0	49.0	144	165	124	720			
MUDDY CREEK near Emery	APR-JUL	18.5	25.0	135	157	114	280			
COLORADO near Cisco, UT	MAY-JUL	2688.0	5000.0	189	214	169				
GREEN near Green Rv., UT	MAY-JUL	2594.0	5000.0	192	212	174				
MILL CREEK near Moab	MAY-JUL	4.7	4.3	91	106	64				
NAVAJO RESERVOIR inflow	MAY-JUL	540.0	1000.0	185	213	161				
SAN JUAN near Bluff, UT	MAY-JUL	792.0	1350.0	170	201	145				
SEVEN MILE CREEK near Fish Lake	APR-JUL	6.5	6.5	100	123	77				


RESERVOIR STORAGE (1000AF)					WATERSHED SNOWPACK ANALYSIS			
RESERVOIR	USEABLE CAPACITY	THIS YEAR	LAST YEAR	AVE.	WATERSHED	NO. COURSES AVE.D	THIS YEAR AS % OF LAST YR.	% OF AVERAGE
HUNTINGTON NORTH	3.9	3.7	3.0	3.9	PRICE RIVER	3	192	130
JOE'S VALLEY	54.6	48.1	48.1	46.8	SAN RAFAEL RIVER	7	154	120
KEN'S LAKE	2.3	1.6	2.3	—	MUDDY RIVER	2	201	78
MILL SITE	16.7	9.9	16.7	6.3	FREMONT RIVER	3	116	65
SCOFIELD	65.8	148.2	156.4	36.6	LASAL MOUNTAINS	2	145	89
		45.0	50.0	47.5	BLUE MOUNTAINS	2	21	19
					CARBON, EMERY, WAYNE, GRA	20	135	97

\*Corrected for upstream diversions or changes in reservoir storage.  
Average is for 1961-80 period.



# Sevier & Beaver River Basins


Mountain snowpack\* (inches)



\*Based on selected stations

Maximum  Average   
Minimum  Current 

Precipitation\* (percent of normal)



\*Based on selected stations

Monthly precipitation  Year to date precipitation 

## WATER SUPPLY OUTLOOK:

Snowpack on the Sevier River has improved since last month and now ranges from 83% of the May 1 average on the Upper Sevier to 113% on the Lower Sevier. Beaver River snowpack increased to 165% of average. Precipitation at mountain stations in April was 128% of average, bringing total water year accumulation to 128% of average. Reservoir storage is 95% of capacity and 153% of average. Streamflow for the month generally increased from last month and now ranges from near average to almost five times average.

For more information contact your local Soil Conservation Service office:  
Richfield Field Office 801-896-6261  
Fillmore Field Office 801-743-6655

# SEVIER & BEAVER RIVER BASINS

## STREAMFLOW FORECASTS


FORECAST POINT	FORECAST PERIOD	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVE.)	REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOW (CFS)	PEAK DATE	LOW FLOW (CFS)	LOW DATE
SEVIER at Hatch	MAY-JUL	42.0	50.0	119	148	98	600			
SEVIER near Circleville	MAY-JUL	30.0	45.0	150						
SEVIER near Kingston	MAY-JUL	22.0	25.0	113	177	59	450			
ANTIMONY CREEK near Antimony	MAY-JUL	5.7	8.5	149						
E F SEVIER near Kingston	MAY-JUL	12.5	20.0	160	224	120				
SEVIER b/w Piute Dam	MAY-JUL	33.0	38.0	115	182	55				
CLEAR CREEK near Sevier	MAY-JUL	16.2	22.0	135			325			
SIGURD to GUNNISON	MAY-JUL	16.6	80.0	481	578	392				
KINGSTON to VERMILLION DAM	MAY-JUL	28.0	55.0	196	196	196				
VERMILLION DAM to GUNNISON	MAY-JUL	19.0	65.0	342	342	342				
SALINA CREEK at Salina	MAY-JUN	10.8	20.0	185			700			
SEVIER nr Gunnison	MAY-JUL	41.0	115.0	280						
CHALK CREEK near Fillmore	MAY-JUL	13.2	13.3	100	121	83				
CHICKEN CREEK near Levan	APR-JUL	3.5	4.2	120	143	86				
OAK CREEK near Oak City	MAY-JUL	1.1	1.4	127	182	91				
EPHRAIM CREEK near Ephraim	MAY-JUL	8.3	12.0	144						
PLEASANT CREEK near Pleasant	MAY-JUL	7.9	12.0	151						
SALT CREEK near Nephi	MAY-JUL	10.8	8.8	81	139	28				
BEAVER RIVER near Beaver	MAY-JUL	21.0	40.0	190	224	157	450			
NORTH CREEK near Beaver (combined N	MAY-JUL	12.7	20.6	162	220	102				
MINERSVILLE RESERVOIR inflow	APR-JUN	8.9	20.0	224	258	191				

RESERVOIR STORAGE		(1000AF)			WATERSHED SNOWPACK ANALYSIS			
RESERVOIR	USEABLE CAPACITY	THIS YEAR	LAST YEAR	AVE.	WATERSHED	NO. COURSES AVE.D	THIS YEAR AS % OF LAST YR. AVERAGE	
GUNNISON	18.2	18.2	18.2	14.9	UPPER SEVIER RIVER (south	11	75	83
MINERSVILLE (RkyFd)	26.0	23.1	26.0	14.6	EAST FORK SEVIER RIVER	4	82	73
OTTER CREEK	52.5	52.5	52.7	39.5	SOUTH FORK SEVIER RIVER	7	101	88
PIUTE	71.8	65.1	71.8	44.7	LOWER SEVIER RIVER (inclu	12	139	113
SEVIER BRIDGE	236.0	223.4	225.4	136.0	BEAVER RIVER	3	143	163
PANQUITCH LAKE	22.3	21.5	22.0	---	SEVIER & BEAVER RIVER BAS	26	127	111

\*Corrected for upstream diversions or changes in reservoir storage.  
Average is for 1961-80 period.

# E. Garfield, Kane, Washington, & Iron Co.


Mountain snowpack\* (inches)



\*Based on selected stations

Maximum  Average   
Minimum  Current 

Precipitation\* (percent of normal)



\*Based on selected stations

Monthly precipitation  Year to date precipitation 

## WATER SUPPLY OUTLOOK:

Snowpack in southwestern Utah improved in A Parowan and Coal Creek drainages but +- worsened slightly on the Virgin. Harmony snow courses were bare and Escalante fell sharply. Mountain precipitation was greater than normal for the third consecutive month which has helped the streamflow and reservoir situation, but with reservoirs in the area at only about 60% of capacity, water shortages already exist and are expected to worsen as the season progresses.

For more information contact your local Soil Conservation Service office:  
Cedar City Field Office 801-586-2429

E. GARFIELD, KANE, WASHINGTON, & IRON Co.


STREAMFLOW FORECASTS

FORECAST POINT	FORECAST PERIOD	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVE.)	REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOW (CFS)	PEAK DATE	LOW FLOW (CFS)	LOW DATE
VIRGIN near Hurricane	MAY-JUN	40.0	40.0	100	150	53	600			
SANTA CLARA near Pine Valley	MAY-JUN	4.1	4.2	102						
COAL CREEK near Cedar City	MAY-JUL	15.4	20.0	129	162	110	400			
LAKE POWELL inflow	MAY-JUL	6475.0	12600.0	194	218	174				

RESERVOIR STORAGE (1000AF)					WATERSHED SNOWPACK ANALYSIS			
RESERVOIR	USEABLE CAPACITY	USEABLE STORAGE THIS YEAR	USEABLE STORAGE LAST YEAR	USEABLE STORAGE AVE.	WATERSHED	NO. COURSES AVE.D	THIS YEAR AS % OF LAST YR.	% OF AVERAGE
GUNLOCK	10.4	9.3	---	---	VIRGIN RIVER	5	106	76
LAKE POWELL	25002.0	22220.0	22599.0	---	PAROWAN	4	114	75
QUAIL CREEK	40.0	24.0	---	---	ENTERPRISE TO NEW HARMONY	2	0	0
UPPER ENTERPRISE	10.0	5.0	---	---	COAL CREEK	3	112	82
LOWER ENTERPRISE	2.6	1.3	---	---	ESCALANTE RIVER	1	55	65
					E. GARFIELD, KANE, WASHIN	12	109	72

\*Corrected for upstream diversions or changes in reservoir storage.  
Average is for 1961-80 period.

# Utah Snowpack Progress



## Statewide

Average monthly snow water equivalent for the current water year is compared to 1961-80, 20 year average monthly snow water equivalent. Peak average snow water equivalent achieved on April 1 equals 100%.

\*=NEW RECORD MAY 1 SNOW WATER EQUIVALENT

